

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Microlon CL-100

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Internal combustion engine treatment

#### 1.3 Details of the supplier of the safety data sheet

Company : Microlon Inc  
PO Box 80341  
Austin, Texas 78708-0341  
USA

Telephone : (512) 490-6460 (09:00 – 17:00)

E-mail address : [info@microlon.com](mailto:info@microlon.com)

#### 1.4 Emergency telephone number <http://www.pers-er.com/>

Emergency Phone # : Domestic Shipments: (800) 633-8253

: International Shipments: (801) 629-0667

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Aspiration toxicity (Category 1)

Skin irritation (Category 2)

Eye irritation (Category 2)

Specific organ target toxicity – Single exposure (Category 3)

Aquatic chronic toxicity (Category 2)

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

Harmful: May cause lung damage if swallowed. Irritating to eyes, respiratory system and skin. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification is based upon acute toxicity data for the mixture as well as the percentage composition of the material.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word

Danger

Hazard statement(s)

H304

May be fatal if swallowed and enters airways

H315

Causes skin irritation

H319

Causes serious eye irritation

H335

May cause respiratory irritation

H411

Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P280

Wear protective gloves/ protective clothing

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

P311

Call a POISON CENTRE or doctor/physician

Supplemental Hazard Statements

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Component	Classification
<b>Stoddard Solvent</b>	
CAS-No. 64742-94-5 EC-No. 265-198-5	Asp. Tox. 1; H304 Xn; R65
<b>Xylenes</b>	
CAS-No. 1330-20-7 EC-No. 215-535-7	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; H226, H312, H315, H332 R10 Xn; R20/21-R38
<b>1,2,4-Trimethylbenzene</b>	
CAS-No. 95-63-6 EC-No. 202-436-9	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2; STOT SE 3; Skin Irrit. 2; Aquatic Chronic 2; H226, H315, H319; H332; H335, H411 R10 Xn; R20-R36/37/38 N; R51/53

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

##### If inhaled

If vapor or mists are breathed in, move person into fresh air. If not breathing, give artificial respiration.

##### In case of skin contact

Wash off with soap and plenty of water. If irritation persists seek further medical attention.

##### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and seek further medical attention.

##### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties of the mixture have not been thoroughly investigated.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use water fog, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.

#### 5.3 Advice for firefighters

Do not breathe decomposition products and fumes. Use approved self-contained breathing apparatus. Wear fire retardant clothing. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Use water spray to cool containers. Use water fog to disperse vapors and leaks that have not ignited. Prevent runoff from fire control from entering waterways. Large fires should only be dealt with by trained personnel.

#### 5.4 Further information

No data available

---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use suitable personal protective equipment (refer to Section 8 for details). Avoid breathing vapours or mists. Ensure adequate ventilation.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains or watercourses.

### 6.3 Methods and materials for containment and cleaning up

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

### 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

No data available

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with occupational exposure limits

Component	CAS No.	Reference period	Exposure Limit	Basis
Xylene	1330-20-7	8hr TWA 15minSTEL	220mg/m <sup>3</sup> 441mg/m <sup>3</sup>	UK. EH40 WEL (Sk)
Trimethylbenzene	95-63-6	8hr TWA	125mg/m <sup>3</sup>	UK. EH40 WEL

#### Biological occupational exposure limits

Component	Biological monitoring guidance value	Sampling Time	Basis
Xylene	650 mmol methyl hippuric acid/Mod creatinine in urine	Post Shift	UK. EH40/2005 BMGV

### 8.2 Exposure controls

#### Appropriate engineering controls

Use in well ventilated areas. Use mechanical ventilation in poorly ventilated areas.

#### Personal protective equipment

##### Eye/face Protection

Use equipment for eye protection tested and approved under appropriate standards such as EN 166.

##### Skin Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with good practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Recommended glove types include Polythene and Viton gloves.

##### Body Protection

Impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory Protection

Where risk assessment in accordance with the hierarchy of controls established within the Chemical Agents Directive shows a requirement for respirators as a means of control, use an organic filter type A.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Appearance                                   | Form: Clear light blue liquid          |
| b) Odor   | Characteristic solvent like odor       |
| c) Odor Threshold                               | no data available                      |
| d) pH   | no data available                      |
| e) Melting point/freezing point                 | -58°C                                  |
| f) Initial boiling point and boiling range      | 150°C – 205°C                          |
| g) Flash point                                  | 61°C                                   |
| h) Evaporation rate                             | 0.1 (n-Butyl acetate =1). 98% volatine |
| i) Flammability (solid, gas)                    | no data available                      |
| j) Upper/lower flammability or explosive limits | no data available                      |
| k) Vapor pressure                               | 7.0mmHg @ 38°C                         |
| l) Vapor density                                | 4.8                                    |
| m) Relative density                             | 0.79 @ 16°C                            |
| n) Water solubility                             | Immiscible in water                    |
| o) Partition coefficient: (n- octanol/water)    | no data available                      |
| p) Auto-ignition temperature                    | no data available                      |
| q) Decomposition temperature                    | no data available                      |
| r) Viscosity                                    | 1.1 cSt @25°C (Min.)                   |
| s) Explosive properties                         | None                                   |
| t) Oxidizing properties                         | None                                   |

### 9.2 Other safety information

No data available

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available on mixture.

### 10.2 Chemical stability

Expected to be stable at normal temperatures and under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

High temperature (>50°C), sources of ignition & direct sunlight.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products when stored and handled correctly.

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD<sub>50</sub> (Dermal) >2000 mg/kg

LC<sub>50</sub> (Inhalation) >20mg/litre/4h

#### Skin corrosion/irritation

No data available on mixture. Primary skin irritant.

**Serious eye damage/eye irritation**

No data available on mixture. Primary eye irritant.

**Respiratory or skin sensitisation**

No data available on mixture. Not expected to have sensitisation potential.

**Germ cell mutagenicity**

No data available.

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity**

No data available.

**Specific target organ toxicity - single exposure**

No data available on mixture. Irritating to respiratory system.

**Specific target organ toxicity - repeated exposure**

No data available.

**Aspiration hazard**

No data available on mixture. Danger of aspiration into lungs if swallowed.

**Potential health effects**

<b>Inhalation</b>	May be harmful if inhaled in quantity. Causes respiratory tract irritation.
<b>Ingestion</b>	May cause serious lung damage by aspiration if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin irritation.
<b>Eyes</b>	Causes severe eye irritation.

**Signs and Symptoms of Exposure**

To the best of our knowledge, the chemical, physical, and toxicological properties of this mixture have not been thoroughly investigated.

**Additional Information**

Not available.

---

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

No data available on mixture. Will be toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

Expected to be biodegradable.

**12.3 Bioaccumulative potential**

Not expected to bioaccumulate.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

No data available.

**12.6 Other adverse effects**

No data available.

---

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber. Material is classified as hazardous waste under the Hazardous Waste Regulations 2005 (as amended). Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

